
: 新価格

●表示数量超えはWOSにてご確認ください



型式				L	(D <sub>1</sub> )	l	h	(d)
Type		Dg6		指定1mm単位	(D1)	l k	h	(a)
		6	-0.004 -0.012	30~150	4.5	12		_
棒状 STN STNM MSTNM GSTNM STNUG	NTT STA STAM MSTAM GSTAM SMSTAM	8	-0.005	30~200	6.5	15	4	
		10	-0.014	35~250	8.5	18	7	6.0
		12	-0.006	35~300	10	10		0.0
		15	-0.017	40~350	13	20	- 5	10.0
		20	-0.007 -0.020	45~400	17	25		11.7
		25		50~450	22	30	6	15.2
		30		60~450	27	30		16.0
		35	-0.009	70~500	32	40	8	20.1
		40		80~500	37	40		22.7
			-0.025	400000	40	F0	10	20.0

D





Alteration	Code	Spec.	¥/1Code	
溝部なし L	MN	止めねじ用の溝加工なしに 変更します。 指定方法 MN	-100	
端面めねじ追加 M×2	мтс	端面にねめじを加工します。 指定方法 MTC8  Dg6 M(並目) 8 3 8 3 8 3 12 4 5 15 4 5 6 20 5 6 8 10 20 5 6 8 10 20 5 6 8 10 20 10 12 16 20 10 12 16 50 10 12 16 50 10 12 16	400	



■数量スライド価格 (®1円未満切り捨て) P.127

数量区分


¥基準単価






③3本以上で1明細行当たり―律540円

3 日目出荷














型式		L 指定1mm単位	(d)	¥基準単価						
至八				FGSTN			FGSTA			
Туре		Df8	油灰IIIII干坯		最短L~200	201~400	401~450	最短L~200	201~400	401~450
	10	-0.013 -0.035	35~450	8	2,040	2,800	3,030	1,740	2,900	3,460
FGSTN	12	-0.016 -0.043	35~450	10	2,230	3,180	3,480	1,740	2,900	3,460
	15		40~450	12.6	2,300	3,180	3,500	1,780	2,920	3,710
FGSTA	20	-0.020 -0.053	45~450	16	2,950	4,180	4,650	2,710	4,310	5,450
	25		50~450	20	3,460	5,060	5,700	2,840	4,440	5,580

