


## クリーン配管用ワンタッチ継手

◎ CADデータフォルダ名: 53\_Fittings



型式 Type		D	呼び 呼び	A	B	L	対辺 H	ねじ サイズM	有効断面積 (mm <sup>2</sup> )	質量 (g)	¥基準単価 ¥1~9コ 10~30	¥ラバ単価
PPCN	4	1	8	21.1	17.1	12	R1/8	3.4	2.5	300	290	
	6	1	8	22.8	18.8	14	R1/8	9.1	3	310	300	
	6	2	11	24.8	17	14	R1/4	3.5	310	300		
	8	1	8	27.9	23.9	17	R1/8	4.5	350	340		
	8	2	11	26.6	20.6	19	R1/4	22.1	350	340		
	10	3	12	32.6	26.6	19	R1/4	30.5	7	400	380	
PPCN	12	3	12	33.6	27.3	22	R3/8	40.7	12	480	460	

型式 Type		D	呼び 呼び	A	B	L	P	E	対辺 H	ねじ サイズM	有効断面積 (mm <sup>2</sup> )	質量 (g)	¥基準単価 ¥1~9コ 10~30	¥ラバ単価
PPCNL	4	1	8	23.3	24.3	10	18.1	10	R1/8	3.4	4	450	430	
	6	1	8	25	27.3	12	R1/8	8.7	5	450	430			
	6	2	11	28	28.2	12.5	19.9	14	R1/4	5.5	450	430		
	8	1	8	28	31.3	14	R1/8	7	500	480				
	8	2	11	31	32.2	14.5	22.7	14	R1/4	7.5	500	480		
	10	3	12	32.8	33.7	17	R3/8	8.5	530	510				
PPCNL	12	3	12	36	38.7	17.5	26.4	17	R1/4	25.9	12	560	540	
	12	3	12	37	39.4	21	29.6	22	R3/8	13	570	550		
	12	3	12	39	43.2	21	29.6	22	R3/8	37.6	18	660	630	

型式 Type		D	B	P	質量 (g)	有効断面積 (mm <sup>2</sup> )	¥基準単価 ¥1~9コ 10~30	¥ラバ単価
PPCR	4	31	10	4	5.3	590	570	
	6	35.2	12.5	5.5	12.5	610	580	
	8	37.8	14.5	8	20	690	660	
	10	43.8	17.5	13	35	820	780	
	12	48.2	21	19	59	1,010	960	

型式 Type		D	B	P	E	d	F	質量 (g)	有効断面積 (mm <sup>2</sup> )	¥基準単価 ¥1~9コ 10~30	¥ラバ単価
PPCL	4	22	10	17	3.2	6.5	4.5	4.2	590	570	
	6	26.5	12.5	20.2	3.2	8	6	10	610	580	
	8	30	15	22.4	4.2	10	9	16.5	690	660	
	10	35.2	17.5	26.4	4.2	12	14	30	820	780	
	12	40.1	21	29.6	4.2	14	20	47	1,010	960	
	12	40.1	21	29.6	4.2	14	20	47	1,010	960	

型式 Type		D	P	E	d	F	G	質量 (g)	有効断面積 (mm <sup>2</sup> )	¥基準単価 ¥1~9コ 10~30	¥ラバ単価
PPCE	4	10	17	3.2	6.5	13	6.5	5.3	850	790	
	6	13	20.2	3.5	8	16	9	12.5	880	820	
	8	15	22.2	3.5	9	18	13	20	1,010	910	
	10	17.5	25.4	4.2	12	24	21	35	1,200	1,080	
	12	21	28.6	4.2	14	28	30	59	1,490	1,350	

型式 Type		D	B	P	J	d	F	質量 (g)	有効断面積 (mm <sup>2</sup> )	¥基準単価 ¥1~9コ 10~30	¥ラバ単価
PPCY	4	33	10	11	3.4	14.2	6.5	4.2	850	760	
	6	38	13	12	3.4	15.9	9	10	880	790	
	8	42.4	15	14	3.4	17.2	13	16.5	1,010	910	
	10	48.8	18	18	4.5	19.7	22	27	1,200	1,030	
	12	55.2	21.5	20	4.2	22.4	31	38	1,490	1,280	

型式 Type		D <sub>1</sub>	D <sub>2</sub>	B	L	P	質量 (g)	有効断面積 (mm <sup>2</sup> )	¥基準単価 ¥1~9コ 10~30	¥ラバ単価
PPCGY	6	4	40.3	16.8	12.5	4	5.3	350	340	
	8	6	40.9	17.4	12.5	4.5	9	380	370	
	10	6	43.9	18.9	12.5	5.5	9	380	370	
	12	8	43.7	18.7	14.5	6.5	20	390	380	
	12	10	49.7	20.7	14.5	8.5	20	390	380	
	12	10	50.2	21.2	17.5	10	35	470	450	

型式 Type		D	B	E	A	P	C	H	G	ねじ サイズM	質量 (g)	有効断面積 (mm <sup>2</sup> )	¥基準単価 ¥1~9コ 10~30	¥ラバ単価
PPMP	4	31.6	9.3	12	10	15	14	5	M12×1.5	7.2	4.2	1,200	1,140	
	6	35.8	9.9	15	12.3	17.1	17	5	M14×1.5	10.2	10.7	1,330	1,270	
	8	38.4	10.7	15.5	14.2	18.4	19	6	M16×1.5	14.3				