

Material Safety Data Sheet

OS COMPOUND

Date of Preparation: 11/3/07

MSDS No. OS COMPOUND

Revision Date: 4/23/08

Section 1 - Chemical Product and Company Identification

Product/Chemical Name: OS Compound

General Use: Abrasive Polishing Compound

Manufacturer: Saint-Gobain Ceramics & Plastics, Inc.

4905 East Hunter Ave. Anaheim, CA 92807

Telephone: (800) 243-0028 (8:00AM - 5:00PM ET weekdays)

Emergency Contact: Infotrac Inc. Tel. No.: (800) 535-5053

Section 2 - Composition / Information on Ingredients

CHEMICAL NAME	APPRX %	COMMON NAME	REG* (Y/N)	CAS #	OSHA P.E.L. (mg/m ³)	ACGIH TLV (mg/m ³)	CARCIN. (Y/N)
1) Polyalkylene Glycol	40-60	Polyalkylene Glycol	N	N/A	None	None	N
2) Adipate	10-25	Adipate	N	N/A	None	None	N
3) Silica	2-20	Silica; amorphous	Y	7631-86-9	6	10	N
4) Ethoxylated Tall Oil	2-20	Tall Oil	N	Mixture	None	None	N
5) Diamond	1-20	Diamond	N	7782-40-1	10	10	N

** Subject to EPA section 313 reporting SARA 40 CFR part 372

NE= None Established

Product formulation is Proprietary

No ingredients are known to be hazardous under normal usage.

Section 3 - Hazards Identification

Potential Health Effects

Eye Contact: May cause irritation.

Skin Contact: Repeated or prolonged skin contact may cause irritation.

Inhalation: Vapor and mist may irritate nose and throat.

Prolonged inhalation may cause dizziness.

Ingestion: May cause gastrointestinal irritation. Nausea and vomiting may occur.

Primary Route(s) of Entry: Inhalation at high temperatures, eye contact, skin contact.

Target Organs: Respiratory passages at high temperatures, eyes, skin.

Medical Conditions Aggravated by Long-Term Exposure: Individuals with pre-existing skin disorders or eye problems or impaired liver or kidney function may be more susceptible to the effects of chemical.

Carcinogenicity: IARC, NTP, and OSHA do not list this product or its ingredients as carcinogens.

NFPA CODE
FLAMMABILITY:
1
HEALTH:
1
REACTIVITY:
0
HAZARD:
1

Section 4 - First Aid Measures

Eye Contact: Flush thoroughly with water for at least 15 minutes. Get immediate medical attention.

Skin Contact: Remove contaminated clothing and shoes. Wash exposed area with soap and water. Get medical attention if symptoms persist.

Inhalation: If symptoms develop, remove affected person from source of exposure into fresh air. Get immediate medical attention. If person is not breathing, give artificial respiration. If breathing is difficult, administer oxygen if available.

Ingestion: Get immediate medical attention. Do not induce vomiting unless instructed to do so by a physician. Give large quantities of water or milk.

Section 5 - Fire-Fighting Measures

Flash Point: >200°C(est.)

Flash Point Method: Estimate

Lower Flammable Limit (LFL): N/A

Upper Flammable Limit (UFL): N/A

Extinguishing Media: Co₂, Foam, Dry Chemical, Water Spray

Unusual Fire or Explosion Hazards: None

Hazardous Combustion Products: Specific to type of material involved in fire.

Fire-Fighting Instructions: Wear a NIOSH approved positive pressure self-contained breathing apparatus with full protective clothing. Do not release runoff from fire control methods to sewers or waterways.

Fire-Fighting Equipment: Fire may produce toxic thermal decomposition products. Wear a self-contained breathing apparatus (SCBA) with a full face-piece operated in pressure-demand or positive-pressure mode.

Section 6 - Accidental Release Measures

Small Spills: Isolate area and deny entry. Ventilate area of leak or spill. Small spill can be picked up with vermiculite or other absorbent, noncombustible material. Properly protected personnel should flush spill with plenty of water, taking care not to splash personnel.

Large Spills: Notify appropriate personnel and implement facility emergency response plan. Evacuate nonessential personnel, isolate area, provide maximum ventilation. Cleanup personnel should wear fully protective equipment for vapor inhalation and skin and eye contact.

Containment: For large spills, dike far ahead of liquid spill for later disposal. Do not release directly into sewers or waterways. Wash walking surfaces thoroughly to reduce slipping hazard.

Cleanup: Absorb spilled liquid with non-reactive absorbent material. Place clean-up material in appropriate disposal containers and dispose of according to local, state and federal requirements.

Regulatory Requirement: Any release to the environment of this product may be subject to federal, state, and/or local reporting requirements. Check with appropriate agencies.

Section 7 - Handling and Storage

Handling Precautions: Exercise ordinary care in handling industrial lubricants. Avoid contamination of cigarettes or other tobacco products. Wash hands thoroughly before eating or smoking. Remove contaminated clothing and wash before reuse.

Users should be alert to the possibility that very small percentages of the population may display unexpected allergic reactions to otherwise innocuous industrial lubricants and raw materials.

Storage Requirements: Do not store in open or unlabeled containers. Store in well ventilated, properly drained/contained site, away from heat, out of the sun, and away from combustibles and reactive chemicals. Use only approved containers and protect containers from damage and keep material from freezing.

Section 8 - Exposure Controls / Personal Protection

Eye Protection: Avoid eye contact. Wear safety glasses or chemical goggles in accordance with OSHA 29 CFR 1910.133.

Skin Protection: Avoid skin contact. Wear chemical protective gloves. Depending upon conditions of use, additional protection may be necessary such as a face shield, apron, etc.

Ventilation: Local ventilation is generally not necessary under normal conditions of use with adequate general ventilation. Ventilation and other forms of engineering controls are the preferred means for controlling chemical exposures.

Respiratory Protection: Avoid breathing in mist. Respiratory protection is generally not necessary under normal conditions of use with adequate general ventilation.

Safety Stations: Make emergency eyewash stations, safety/quick-drench showers, and washing facilities available in work area.

Other Precautionary Information: Never eat, drink, or smoke in work areas. Practice good personal hygiene after using this material, especially before eating, drinking, smoking, using the toilet, or applying cosmetics.

Section 9 - Physical and Chemical Properties

Appearance and Odor: Paste. Dye coloring may be used. It is not unusual to see the following colors: Yellow, Orange, Green, Blue, Red, Brown Black. Faint odor.

Vapor Pressure: Negligible

Vapor Density (Air=1): Not Determined

Formula Weight: Not Calculated

Density: N/A

Specific Gravity (H₂O=1, at 4 °C): 1.05 – 1.2

pH: 9-10

Water Solubility: Insoluble

Organic Solvent Solubility: Soluble

Boiling Point: >130°C

Melting Point: <-10°C

Solidification Point: N/A

Ignition Temperature: N/A

% Volatile: 40-70

Evaporation Rate: N/A

Section 10 - Stability and Reactivity

Stability: Stable at room temperature in closed containers under normal storage and handling conditions.

Polymerization: This product will not undergo hazardous polymerization.

Chemical Incompatibilities: Strong oxidizing materials, hypochlorites, chlorine.

Conditions to Avoid: Strong acids and bases. Heat source.

Hazardous Decomposition Products: Steam, CO₂, CO and unidentified organic compounds in fumes and smoke may be formed during combustion.

Section 11- Toxicological Information

Toxicity Data:

Eye Effect: Eye Irritant. Inconsequential irritation.

Skin Effect: Practically non- irritating.

Reproductive: Not reported

Ingestion Effect: Not reported

Acute Inhalation Effects: Headache, nausea, irritation to the nose and throat.

Acute Oral Effects: N/A

Chronic Effects: Not established.

Carcinogenicity: Not reported

Mutagenicity: Not reported

Teratogenicity: Not reported

Section 12 - Ecological Information

Ecotoxicity: This product is bio-degradable.

Soil Absorption/Mobility: Not Available

Degradability: Biodegradable.

Environmental Fate and Effects: Not Available.

Section 13 - Disposal Considerations

Disposal: Contact a licensed waste-disposal contractor for detailed recommendations. Follow applicable Federal, State, and Local regulations.

Container Disposal: Rinse three times with an appropriate solvent or water. Dispose or recycle the empty container.

Disposal Regulatory Requirements: Many states classify waste lubricants as "hazardous", which means disposal only by a licensed firm. Follow applicable Federal, state, and local regulations.

Section 14 - Transport Information

DOT Transportation Data (49 CFR 172.101): Not Regulated

This product meets transportation requirements of the US Department of Transportation (DOT), ICAO and IATA. This is classified as non-dangerous goods.

Section 15 - Regulatory Information

TSCA:

All components of this product are listed on the TSCA inventory.

EPA Regulations:

SARA 311/312 Hazard Class (40 CFR 370)

Immediate (Acute) Health Hazard: No

Sudden Release of Pressure Hazard: No

Reactive Hazard: No

Delayed (Chronic) Health Hazard: No

Fire Hazard: No

SARA 313 Toxic Chemicals (40 CFR 372.65) CAS Number %

No ingredients listed

SARA Extremely Hazardous Substances (40 CFR 355) CAS Number % Threshold Planning Quantity (TPQ)

No ingredients listed

CERCLA Hazardous Substances (40 CFR 302) CAS Number % Reportable Quantity (RQ)

No ingredients listed

OSHA Regulations:

Air contaminant (29 CFR 1910.1000, Table Z-1, Z-1-A):

No ingredients listed

Section 16 - Other Information

Prepared By: PHC

Disclaimer: The information and recommendations set forth herein are taken from sources believed to be accurate as of the date hereof ; however, Saint-Gobain Ceramics & Plastics, Inc. makes no warranty with respect to the accuracy of the information or the suitability of the recommendations, and assumes no liability to any user thereof.