PRODUCT INFORMATION SHEETS

- «Note» The product given below does not fall into any category of the materials shown in "Guidelines on Provision of Information about Safety of Chemical Substances." Therefore, it is difficult to provide information in the form of Material Safety Data Sheets (MSDS) and we provide information about the product in a similar form.
 - The information given below has been compiled based on materials, information and data available at present and thus it may be revised when a new finding is obtained.
 - Precautions are given on the assumption that the product is handled in a usual manner. If the product is to be used in a special manner or environment, proper safety measures must be taken according to the application and method used.
 - The values shown in these sheets are not guaranteed and should be used as reference only.

Established on April 5, 2011 Revised on

1. Chemical Substances and Company Identification:

: TAKIRON Co., LTD., Ibogawa Plant Company name

Address : 1228-1, Umaba, Ibogawa-cho, Tatsuno, Hyogo Prefecture, Japan

Phone : 0791-76-5556 Fax : 0791-76-5880

Issued by : Environment and Quality Assurance Dept.

Prepared by : Technical Group

Product Name

Takiron Polycarbonate Plate **PCSP 692T** (plastic board)

Hazards Identification

: N/A to the classification standard. Name of classification

The most important hazards : N/A Specific hazards : N/A

Composition and Information on Ingredients

Division of single product and mixture : Mixture

Chemical name : Poly (4.4'-isopropylidene-diphenyl carbonate)

Information on chemical properties:

Component	Contents (wt %)	Structural formula	CAS No.	Official gazette notification No. (The law concerning the Examination and Regulation of Manufacture etc. of Chemical Substances)
Polycarbonate	99% or more	(C ₁₆ H ₁₄ O ₃) _n CH ₃ CH ₃ CH ₃ CH ₃	103598-77-2	7-738
Weather-resistance modifier	Less than 0.5%	Not disclosed	Contained (not disclosed)	Contained (not disclosed)
Coloring agent and other	Less than 1%	N/A	N/A	N/A

: N/A

Hazardous component

4. First Aid Measures

In case of eye contact : N/A because the product is a solid board shape.

In case of skin contact : No problem as far as the product is handled in the usual manner.

In case of inhalation : N/A because the product is a solid board shape.

However, when heat-treating or cutting the product, gases are released. If a large amount of gas is inhaled, move victim to fresh air. Get medical attention if severe coughing, breathing difficulties

or other symptoms appear.

In case of ingestion : N/A because the product is a solid board shape.

5. Fire Fighting Measures

Extinguishing media : Water spray, water, fire foam and dry chemicals can be used. Use

of water is desirable from a viewpoint of cooling effect.

Extinguishing method: Use the same extinguishing method as used for general fire. When

the product burns, caution should be exercised because harmful gases including carbon monoxide, NOx and Phosphorus oxide as

well as carbon dioxide will be given off.

6. Accidental Release Measures:

Personal precautions : N/A because the product is a solid board shape. Environmental precautions : N/A because the product is a solid board shape.

7. Caution to Observe When Handling and Storage

Handling : Avoid using fire in the workplace unless necessary, though it may not ignite

at room temperature.

Storage : The product must be stored, laid down on a level surface away from heat and

ignition source and not exposed to direct sunlight.

Creep deformation occurs with time even at room temperature.

8. Exposure Controls / Personal Protection

Facility : There is no problem as far as the product is handled in the usual manner

because it is a board shape. Sufficient ventilation must be ensured using local ventilation systems when cutting or heat-treating, because cracked gas

is released.

9. Physical and Chemical Properties

Appearance : Gray smoked board

Odor : Odorless
Boiling point : None
Steam pressure : Negligible
Volatility : None

Melting point : No clear melting point, but it pours at 240°C or more.

Specific gravity : 1.2 (20/4°C)
Solubility (water) : Insoluble
Solubility (methylene chloride) : 0.33 ml

10. Stability and Reactivity

Flashing point $522^{\circ}C^{1)}$ Ignition point $550^{\circ}C^{1)}$

Combustibility : Polycarbonate resin is handled as a flame retardant

material with OI of about 2620 or more under the Fire

Service Act

Ignitability

(hypergolic property, reaction to water): None Oxidativity : None

Dust explosion : No problem because the product is a board shape. Stability and reactivity : Stable at room temperature and normal pressure

Thermal decomposition temperature : About 380°C

11. Potential Health Effects

Corrosiveness to skin : Not known

Irritation (skin, eye) : Gases released when the product is dried or melts might

cause irritation to the eye or skin.

Sensitization : Not known

Acute toxicity (including 50%

lethal dose and others) : Not known

Sub-acute toxicity : 30-40 male and female rats were bred for 8 weeks without

limiting their intake of porridge-like food containing 6% pulverized polycarbonate. As a result, their weight did not drop. Findings of blood picture, radiological examination, pathological anatomy, and histological examination of

organs were normal.

Chronic toxicity : Not known
Carcinogenicity : Not known

Mutagenicity (microorganism,

chromosome aberration) : None

Genital toxicity : The reproductive function was normal

(in the same test as sub-acute toxicity test)

Teratogenicity : Not known

Others (including the release of harmful gases by reaction

with water) : None

12. Environmental Effect

The product does not adversely affect the environment. Not readily biodegradable.

Degradability : Not known
Accumulation : Not known
Fish poison : Not known

13. Disposable Considerations

For burying the product in the ground, it is necessary to comply with the "Waste Disposal and Public Cleansing Law," or ask a certified industrial waste contractor or a local public body if it is engaged in the disposal of this kind of substance³⁾.

For burning the product, use a burning facility taking measures to comply with the relevant laws including the Air Pollution Law. Corrugated cardboards used as packing materials are classified as "Corrugated cardboards (papers)" and discarded accordingly.

14. Transport Information

Information on codes and classifications

according to international regulations for transport : Not known

Stack the product, laid down on a level carrier. Use caution to prevent the stack from collapsing.

15. Regulatory Information

Rules Concerning the Regulations

of Hazardous Materials : N/A

Industrial Safety and Health Law: Substances subject to the law are not contained.

Poisonous and Deleterious

Substances Control Law : Substances subject to the law are not contained.

PRTR Law: : N/A

Waste Disposal and Public

Cleansing Law : To be classified as industrial wastes and waste plastics.

16. Others

This document was prepared using MSDS's of other plastics makers as reference.

- 1) R.M. Asseva and G.E. Zaikov: "Combustion of Polymer Materials" Hanser Publishes, P.46 (1986)
- 2) JPIF Newsletter No. 48, The Japan Plastics Industry Federation (Nov. 1, 1979)
- 3) Waste Plastics Q&A, The Industrial Thermoplastic Technology Committee (1992)

Should a question arise as to the description in the English version, it should be interpreted according to the original version written in Japanese.